Jubilee® P Clips


Jubilee® P Clips are manufactured from a flexible steel or stainless steel one piece band with an ethylenepropylenediene monomer (EPDM) rubber liner. The band features a stepped design to allow the clip to sit flush with the rubber liner in place. The single piece construction means that there are no joins which makes the clip very strong. The upper hole has an elongated design allowing easy fitting of the clip. The rubber liner is manufactured in a corresponding profile to be secure in its position on the clip and ensures a tight fit as well as vibration damping and sound insulation. EPDM rubber offers several advantages over alternatives such as, a wide operating temperature range, resistance to UV (ultra violet) weathering and resistance to creep.




Jubilee® P Clips are available in all of the most important standard sizes. Special production of other sizes or using different lining materials may be available on request for large order volumes.

- Operating temperature range -50°C to 150°C
- Good UV weathering resistance
- Offers good resistance to creep
- Delivers good abrasion resistance
- Advanced resistance to ozone
- · Highly developed resistance to ageing
- Halogen Free
- Reinforced step not required











P CLIPS

Mild Steel Zinc Plated:-

Part No.	Diameter mm	Band Width mm	Fastening	Part No.
JPC005MS	5	12.7	M4/5	JPC005MS
JPC006MS	6	12.7	M4/5	JPC006MS
JPC008MS	8	12.7	M4/5	JPC008MS
JPC009MS	9	12.7	M4/5	JPC009MS
JPC010MS	10	12.7	M4/5	JPC010MS
JPC012MS	12	12.7	M4/5	JPC012MS
JPC013MS	13	12.7	M4/5	JPC013MS
JPC014MS	14	12.7	M4/5	JPC014MS
JPC015MS	15	12.7	M4/5	JPC015MS
JPC016MS	16	12.7	M4/5	JPC016MS
JPC017MS	17	12.7	M4/5	JPC017MS
JPC018MS	18	12.7	M4/5	JPC018MS
JPC019MS	19	12.7	M4/5	JPC019MS
JPC020MS	20	12.7	M4/5	JPC020MS
JPC021MS	21	12.7	M4/5	JPC021MS
JPC022MS	22	12.7	M4/5	JPC022MS
JPC025MS	25	12.7	M4/5	JPC025MS
JPC027MS	27	12.7	M4/5	JPC027MS
JPC028MS	28	12.7	M4/5	JPC028MS
JPC029MS	29	12.7	M4/5	JPC029MS
JPC030MS	30	12.7	M4/5	JPC030MS
JPC035MS	35	12.7	M4/5	JPC035MS
JPC040MS	40	12.7	M4/5	JPC040MS
JPC044MS	44	12.7	M4/5	JPC044MS

Quality Assurance:- DIN

3016
Corrosion Resistance: 72 hours NSS Test

Fastening: See table

Industry Recommendations:- 🚱 🖨 🔇 🕮 🎸











Mild Steel Zinc Plated



P CLIPS

304 Stainless Steel:-

Part No.	Diameter mm	Band Width mm	Fastening	Part No.
JPC005SS	5	12.7	M6	JPC005SS
JPC006SS	6	12.7	M6	JPC006SS
JPC008SS	8	12.7	M6	JPC008SS
JPC009SS	9	12.7	M6	JPC009SS
JPC010SS	10	12.7	M6	JPC010SS
JPC012SS	12	12.7	M6	JPC012SS
JPC013SS	13	12.7	M6	JPC013SS
JPC014SS	14	12.7	M6	JPC014SS
JPC015SS	15	12.7	M6	JPC015SS
JPC016SS	16	12.7	M6	JPC016SS
JPC017SS	17	12.7	M6	JPC017SS
JPC018SS	18	12.7	M6	JPC018SS
JPC019SS	19	12.7	M6	JPC019SS
JPC020SS	20	12.7	M6	JPC020SS
JPC021SS	21	12.7	M6	JPC021SS
JPC022SS	22	12.7	M6	JPC022SS
JPC025SS	25	12.7	M6	JPC025SS
JPC027SS	27	12.7	M6	JPC027SS
JPC028SS	28	12.7	M6	JPC028SS
JPC029SS	29	12.7	M6	JPC029SS
JPC030SS	30	12.7	M6	JPC030SS
JPC035SS	35	12.7	M6	JPC035SS
JPC040SS	40	12.7	M6	JPC040SS
IPC044SS	44	12.7	M6	IPC044SS

Quality Assurance:- DIN

Corrosion Resistance: 1000 hours NSS Test

Fastening: See table

Industry Recommendations:-







304 Stainless Steel



Pocket Pack



Original Range



Junior Range



Wingspade Range





Part No's.

PPMS

This useful small pack contains 32 x

Jubilee clips in either mild steel, 304

Part No's.

PPJJMS

PPJJSS

This valuable pocket pack contains 54 x This apposite pocket pack contains 22 x Junior nut and bolt clips covering fittings Jubilee Wingspade clips covering fittings from 9.5-55mm. from 7mm to 16mm.

Part No.

PPWS

Stalliless	s steel	or 316	sta	inless	steel.
Recommended adjustment ra				anges	from
9.5-40mm.					
Part	Adj	ustment		Quant	ity
Part No.	Adj mm	Inche		Quant	tity
		Inches 3/8-3		Quant 6 6	ity

Part	Adjus	Quantity	
No.	mm	Inches	Qualitity
000	9.5- 12	3/8- 1/2	6
MOO	11- 16	¹ /2- ⁵ /8	6
00	13- 20	1/2-3/4	6
0	16- 22	⁵ /8- ⁷ /8	4
OX	18- 25	3/4-1	4
1A	22- 30	⁷ /8 -1 ¹ /8	2
1	25- 35	1-1 ³ /8	2
1X	30- 40	1 ¹ /8-1 ⁵ /8	2

Weight: 0.61 kgs

Dimensions: 39 (H) x 180 (W) x 150 (D)

Part No.	Adjustment mm	Quantity
NB0709	7- 9	6
NB0810	8-10	6
NB0911	9-11	6
NB1012	10-12	8
NB1113	11-13	10
NB1214	12-14	8
NB1315	13-15	6
NB1416	14-16	4

Weight: 0.44 kgs

Dimensions: 39 (H) x 180 (W) x 150 (D)

Part No.	Adjustment mm	Quantity
WS012	9.5-12	4
WS016	11-16	4
WS020	13-20	4
WS027	16-27	4
WS035	23-35	2
WS045	30-45	2
WS055	40-55	2

Weight: 0.47 kgs

Dimensions: 39 (H) x 180 (W) x 150 (D)

